

80. (Amended) The optical device as claimed in Claim 74, wherein at least one of said first electrode and said second electrode comprises an electrode group divided into strips, when both of said first electrode and said second electrode comprise electrode groups divided into strips, said plurality of strip-formed electrodes constituting said first electrode and said plurality of strip-formed electrodes constituting said second electrodes are disposed to be perpendicular to each other.

83. (Amended) The optical device as claimed in Claim 74, wherein at least one of said first electrode and said second electrode is divided into display pixel units, and each of said divided display pixel units has a switching device.

93. (Amended) The optical device as claimed in Claim 74, wherein said optical control layer is made of a reverse mode polymer dispersed liquid crystal which is constructed by dispersing a low molecular-weight liquid crystal in a liquid crystalline polymer, and said optical control layer becomes a uniform birefringent thin film when no electric field is applied and becomes a scattering state when an electric field is applied.

99. (Amended) The optical device as claimed in Claim 74, wherein said optical control layer comprises one of constructions of liquid crystal particles dispersed in a polymer resin area, a polymer dispersed liquid crystal comprising polymer resin particles dispersed in a liquid crystal, and a polymer dispersed liquid crystal in which respective polymer resin area and liquid crystal area form continuous areas.

105. (Amended) The optical device as claimed in Claim 74, wherein said optical control layer comprises a holographic polymer dispersed liquid crystal of liquid crystal area having a structure periodically distributed in the form of a diffraction grating.

111. (Amended) The optical device as claimed in Claim 74, wherein said reflection film comprises one selected from:

- a dielectric multilayered film; and
- a film lower in refractive index than said light guide.

115. (Amended) The optical device as claimed in Claim 89, wherein said reflection film comprises one selected from:

a dielectric multilayered film; and

a film lower in refractive index than said light guide.

123. (Amended) The optical device as claimed in Claim 117, wherein at least one of said first electrode and said second electrode comprises an electrode and said second electrode comprises and electrode group divided into strips, when both of said first electrode and said second electrode comprise electrode groups divided into strips, said plurality of strip-formed electrodes constituting said first electrode and said plurality of strip-formed electrodes constituting said second electrodes are disposed to be perpendicular to each other.

126. (Amended) The display apparatus as claimed in Claim 117, wherein at least one of said first electrode and said second electrode is divided into display pixel units, and each of said divided display pixel units has a switching device.

136. (Amended) The display apparatus as claimed in Claim 117, wherein said optical control layer is made of a reverse mode polymer dispersed liquid crystal which is constructed by dispersing a low molecular-weight liquid crystal in a liquid crystalline polymer, and said optical control layer becomes a uniform birefringent thin film when no electric field is applied and becomes a scattering state when an electric field is applied.

142. (Amended) The display apparatus as claimed in Claim 117, wherein said optical control layer comprises one of constructions of liquid crystal particles dispersed in a polymer resin area, a polymer dispersed liquid crystal comprising polymer resin particles dispersed in a liquid crystal, and a polymer dispersed liquid crystal in which respective polymer resin area and liquid crystal area form continuous areas.

148. (Amended) The display apparatus as claimed in Claim 117, wherein said optical control layer comprises a holographic polymer dispersed liquid crystal of liquid crystal area having a structure periodically distributed in the form of a diffraction grating.

154. (Amended) The display apparatus as claimed in Claim 117, wherein said reflection film comprises a film lower in refractive index than a dielectric multilayered film or said light guide.

160. (Amended) The display apparatus as claimed in Claim 117, wherein said illumination means has at least a red light source, a blue light source, and a green light source, and further comprising means for successively switching said red light source, blue light source and green light source in synchronization with display image.